

# Provider Led Entity

## Ankle Pain AUC

### Bibliography

11/19/2019

Bancroft LW, Kransdorf MJ, Adler R, Appel M, Beaman FD, Bernard SA, Bruno MA, Dempsey ME, Fries IB, Khoury V, Khurana B, Mosher TJ, Roberts CC, Tuite MJ, Ward RJ, Zoga AC, Weissman BN. ACR Appropriateness Criteria® Acute Trauma to the Foot. *J Am Coll Radiol.* 2015; 12(6):575-581.

Beaman FD, von Herrmann PF, Kransdorf MJ, Adler RS, Amini B, Appel M, Arnold E, Bernard SA, Greenspan BS, Lee KS, Tuite MJ, Walker EA, Ward RJ, Wessell DE, Weissman BN. ACR Appropriateness Criteria® Suspected Osteomyelitis, Septic Arthritis, or Soft Tissue Infection (Excluding Spine and Diabetic Foot). *J Am Coll Radiol.* 2017; 14(5S):S326-S337.

Bencardino JT, Stone TJ, Roberts CC, Appel M, Baccei SJ, Cassidy RC, Chang EY, Fox MG, Greenspan BS, Gyftopoulos S, Hochman MG, Jacobson JA, Mintz DN, Mlady GW, Newman JS, Rosenberg ZS, Shah NA, Small KM, Weissman BN. ACR Appropriateness Criteria® Stress (Fatigue/Insufficiency) Fracture, Including Sacrum, Excluding Other Vertebrae. *J Am Coll Radiol.* 2017; 14(5S):S293-S306.

Bussieres AE, Taylor JA, Peterson C. Diagnostic imaging practice guidelines for musculoskeletal complaints in adults—an evidence-based approach. Part 1. Lower extremity disorders. *J Manipulative Physiol Ther.* 2007; 30(9):684-717.

Cao S, Wang C, Ma X, Wang X, Huang J, Zhang C. Imaging diagnosis for chronic lateral ankle ligament injury: A systematic review with meta-analysis. *J Orthop Surg Res.* 2018; 13(1):122.

Chang EY, Tadros AS, Amini B, Bell AM, Bernard SA, Fox MG, Gorbachova T, Ha AS, Lee KS, Metter DF, Mooar PA, Shah NA, Singer AD, Smith SE, Taljanovic MS, Thiele R, Kransdorf MJ. ACR Appropriateness Criteria® Chronic Ankle Pain. *J Am Coll Radiol.* 2018; 15(5S):S26-S38.

Chiodo CP, Glazebrook M, Bluman EM, Cohen BE, Femino JE, Giza E, Watters WC, Goldberg MJ, Keith M, Haralson RH, Turkelson CM, Wies JL, Raymond L, Anderson S, Boyer K, Sluka P; American Academy of Orthopaedic Surgeons. Diagnosis and treatment of acute Achilles tendon rupture. *J Am Acad Orthop Surg.* 2010; 18(8):503-510.

Chun DI, Cho JH, Min TH, Park SY, Kim KH, Kim JH, Won SH. Diagnostic accuracy of radiologic methods for ankle syndesmosis injury: A systematic review and meta-analysis. *J Clin Med.* 2019; 8(7): doi:10.3390/jcm8070968.

Hegmann KT, Hughes MA, Haas NS, Beecher PJ, Easley M, Edwards H, Hoffman H, Mandel S, Martin RL, Thomas P, Biggs JJ, Thiese MS, Ott U, Hegmann K, Effiong A, Uphold HD, Eden E, Lindsey JK; American College of Occupational and Environmental Medicine. ACOEM practice guidelines: Ankle and foot disorders. July 2018.

Hingorani A, LaMuraglia GM, Henke P, Meissner MH, Loretz L, Zinszer KM, Driver VR, Frykberg R, Carman TL, Marston W, Mills JL, Murad MH. The management of diabetic foot: A clinical practice guideline by the Society for Vascular Surgery in collaboration with the American Podiatric Medical Association and the Society for Vascular Medicine. *J Vasc Surg.* 2016; 63(2 Suppl):3S-21S.

Kim YS, Kim YB, Kim TG, Lee SW, Park SH, Lee HJ, Choi YJ, Koh YG. Reliability and validity of magnetic resonance imaging for the evaluation of the anterior talofibular ligament in patients undergoing ankle arthroscopy. *Arthroscopy.* 2015; 31(8):1540-1547.

Kirschke JS, Braun S, Baum T, Holwein C, Schaeffeler C, Imhoff AB, Rummeny EJ, Woertler K, Jungmann PM. Diagnostic value of CT arthrography for evaluation of osteochondral lesions at the ankle. *Biomed Res Int.* 2016; 2016:3594253.

Krahenbuhl N, Weinberg MW, Davidson NP, Mills MK, Hintermann B, Saltzman CL, Barg A. Imaging in syndesmotic injury: A systematic review. *Skeletal Radiol.* 2018; 47(5):631-648.

Leung KH, Fang CX, Lau TW, Leung FK. Preoperative radiography versus computed tomography for surgical planning for ankle fractures. *J Orthop Surg.* 2016; 24(2):158-162.

Liao D, Xie L, Han Y, Du S, Wang H, Zeng C, Li Y. Dynamic contrast-enhanced magnetic resonance imaging for differentiating osteomyelitis from acute neuropathic arthropathy in the complicated diabetic foot. *Skeletal Radiol.* 2018; 47(10):1337-1347.

Lipsky BA, Berendt AR, Cornia PB, Pile JC, Peters EJ, Armstrong DG, Deery HG, Embil JM, Joseph WS, Karchmer AW, Pinzur MS, Senneville E; Infectious Diseases Society of America. 2012 Infectious Diseases Society of America clinical practice guideline for the diagnosis and treatment of diabetic foot infections. *Clin Infect Dis.* 2012; 54(12):e132-e173.

Lipsky BA, Senneville E, Abbas ZG, Aragon-Sanchez J, Diggle M, Embil JM, Kono S, Lavery LA, Malone M, van Asten SA, Urbancic-Rovan V, Peters JG on behalf of the International Working Group on the Diabetic Foot (IWGDF). IWGDF guideline on the diagnosis and treatment of foot infection in persons with diabetes; 2019. Available from <https://iwgdfguidelines.org/infection-guideline/>.

Meacock L, Petrova NL, Donaldson A, Isaac A, Briody A, Ramnarine R, Edmonds ME, Elias DA. Novel semiquantitative bone marrow oedema score and fracture score for the magnetic resonance imaging assessment of the active Charcot foot in diabetes. *J Diabetes Res.* 2017; 2017:8504137.

National Institute for Health and Care Excellence (NICE). Diabetic foot problems: Prevention and management. London: National Institute for Health and Care Excellence (UK); 2015. Available from <https://www.nice.org.uk/guidance/ng19>.

National Institute for Health and Care Excellence (NICE). Fractures (non-complex): Assessment and management. London: National Institute for Health and Care Excellence (UK); 2016. Available from <https://www.nice.org.uk/guidance/ng38>.

Nosewicz TL, Beerekamp MS, De Muinck Keizer RJ, Schepers T, Maas M, Niek van Dijk C, Goslings JC. Prospective computed tomographic analysis of osteochondral lesions of the ankle joint associated with ankle fractures. *Foot Ankle Int.* 2016; 37(8):829-834.

Ohashi K, Sanghvi T, El-Khoury GY, Ahn JM, Bennett DL, Geijer M, Inaoka T, Berbaum K. Diagnostic accuracy of 3D color volume-rendered CT images for peroneal tendon dislocation in patients with acute calcaneal fractures. *Acta Radiol.* 2015; 56(2):190-195.

Ozer M, Yildirim A. Evaluation of the prevalence of os trigonum and talus osteochondral lesions in ankle magnetic resonance imaging of patients with ankle impingement syndrome. *J Foot Ankle Surg.* 2019; 58(2):273-277.

Park YH, Yoon MA, Choi WS, Choi GW, Hong SJ, Kim HJ. The predictive value of MRI in the syndesmotic instability of ankle fracture. *Skeletal Radiol.* 2018; 47(4):533-540.

Sakellariou G, Conaghan PG, Zhang W, Bijlsma JW, Boyesen P, D'Agostino MA, Doherty M, Fodor D, Kloppenburg M, Miese F, Naredo E, Porcheret M, Iagnocco A. EULAR recommendations for the use of imaging in the clinical management of peripheral joint osteoarthritis. *Ann Rheum Dis.* 2017; 76(9):1484-1494.

Tan DW, The DJ, Chee YH. Accuracy of magnetic resonance imaging in diagnosing lateral ankle ligament injuries: A comparative study with surgical findings and timings of scans. *Asia Pac J Sports Med Arthrosc Rehabil Technol.* 2016; 7:15-20.

Vurrberg G, Hoorntje A, Wink LM, van der Doelen BF, van den Bekerom MP, Dekker R, van Dijk CN, Krips R, Loogman MC, Ridderikhof ML, Smithuis FF, Stufkens SA, Verhagen EA, de Bie RA, Kerckhoffs GM. Diagnosis, treatment and prevention of ankle sprains: Update of an evidence-based clinical guideline. *Br J Sports Med.* 2018; 52(15):956.

Walker EA, Beaman FD, Wessell DE, Cassidy RC, Czuczman GJ, Demertzis JL, Lenchik L, Motamedi K, Pierce JL, Sharma A, Yung EY, Kransdorf. ACR Appropriateness Criteria® Suspected Osteomyelitis of the Foot in Patients with Diabetes Mellitus. American College of Radiology; 2019. Available from <https://acsearch.acr.org/docs/69340/Narrative/>.

Wise JN, Weissman BN, Appel M, Arnold E, Bancroft L, Bruno MA, Fries IB, Hayes CW, Jacobson JA, Kransdorf MJ, Luchs JS, Morrison WB, Mosher TJ, Murphey MD, Palestro CJ, Roberts CC, Rubin DA, Tuite MJ, Ward RJ, Zoga AC. ACR Appropriateness Criteria® Chronic Foot Pain. American College of Radiology; 2013. Available from <https://acsearch.acr.org/docs/69424/Narrative/>.

You JY, Lee GY, Lee JW, Lee E, Kang HS. An osteochondral lesion of the distal tibia and fibula in patients with an osteochondral lesion of the talus on MRI: Prevalence, location, and concomitant ligament and tendon injuries. *AJR Am J Roentgenol.* 2016; 206(2):366-372.