

## Ankle and/or hind foot pain evidence project – Evidence-based Guidelines Included in the Recommendation Matrix

### Mean Guideline Scores and Scaled Scores across Domains of the AGREE II Instrument

AGREE II Domain	AGREE II Domain Topics	AAOS 2010 – Achilles Tendon	ACOEM 2015	ACR 2017 – Chronic Ankle Pain	ACR 2019 – Osteomyelitis in DM	ACR 2017 – Suspected Osteomyelitis	Bussieres 2007	IDSA 2012 – Diabetic Foot Infection
<b>Total Score EXCLUDING overall assessment score</b>		120.5	113.5	95	96.5	111	105	107.5
<b>Scaled Total Score Excluding overall assessment score</b>		71%	66%	52%	53%	64%	59%	61%
<b>Overall Assessment Score</b>	Rate the overall quality of the guideline (Scale of 1 to 7) <b>NOTE:</b> The overall assessment score is not included in the total score	5	5	4	4	5	4.5	4.5
<b>Scope and Purpose</b>	<b>Domain Score</b>	18	14.5	12	14.5	15.5	19	17.5
	<b>Scaled Domain Score Percentage</b>	83%	64%	50%	64%	69%	89%	81%
<b>Stakeholder Involvement</b>	<b>Domain Score</b>	16.5	15.5	13	12.5	14.5	10	9.5
	<b>Scaled Domain Score Percentage</b>	75%	69%	56%	53%	64%	39%	36%
<b>Rigor of Development</b>	<b>Domain Score</b>	51	42	36.5	36	39	36	38
	<b>Scaled Domain Score Percentage</b>	90%	71%	59%	58%	65%	58%	63%
<b>Clarity and Presentation</b>	<b>Domain Score</b>	17	17	17	17	19.5	17	18.5
	<b>Scaled Domain Score Percentage</b>	78%	78%	78%	78%	92%	78%	86%
<b>Applicability</b>	<b>Domain Score</b>	8	18.5	8.5	8.5	14.5	12	17.5
	<b>Scaled Domain Score Percentage</b>	17%	60%	19%	19%	44%	33%	56%
<b>Editorial Independence</b>	<b>Domain Score</b>	10	6	8	8	8	11	6.5
	<b>Scaled Domain Score Percentage</b>	67%	33%	50%	50%	50%	75%	38%

\*Mean guidelines scores across domains of the AGREE II instrument. Each question was rated on a Likert scale with a maximum of 7 points. The scores are averaged for each of the 2 reviewers. The scaled domain score is calculated as follows: (obtained score – minimum possible score) ÷ (maximum possible score – minimum possible score)

## Mean Guideline Scores and Scaled Scores across Domains of the AGREE II Instrument

AGREE II Domain	AGREE II Domain Topics	IWGDF 2019 – Diabetic Foot Infection	NICE 2016 – Non-complex fractures	NICE 2015 – Diabetic Foot Problems	EULAR 2017	SVS 2016 – Diabetic Foot	Vuurberg 2018 – Ankle Sprain
<b>Total Score EXCLUDING overall assessment score</b>		121.5	144	144	108	92	103
<b>Scaled Total Score Excluding overall assessment score</b>		71%	88%	88%	62%	50%	58%
<b>Overall Assessment Score</b>	Rate the overall quality of the guideline (Scale of 1 to 7) <b>NOTE:</b> The overall assessment score is not included in the total score	5	6	6	4.5	4	4.5
<b>Scope and Purpose</b>	<b>Domain Score</b>	16.5	19.5	20	16	13	14.5
	<b>Scaled Domain Score Percentage</b>	75%	92%	94%	72%	56%	64%
<b>Stakeholder Involvement</b>	<b>Domain Score</b>	13	20	17.5	11	11.5	16
	<b>Scaled Domain Score Percentage</b>	56%	94%	81%	44%	47%	72%
<b>Rigor of Development</b>	<b>Domain Score</b>	45	48	53	41	31	38.5
	<b>Scaled Domain Score Percentage</b>	77%	83%	94%	69%	48%	64%
<b>Clarity and Presentation</b>	<b>Domain Score</b>	19.5	19.5	19.5	18	17	16
	<b>Scaled Domain Score Percentage</b>	92%	92%	92%	83%	78%	72%
<b>Applicability</b>	<b>Domain Score</b>	14.5	24.5	25	15	11	15
	<b>Scaled Domain Score Percentage</b>	44%	85%	88%	46%	29%	46%
<b>Editorial Independence</b>	<b>Domain Score</b>	13	12.5	9	7	8.5	3
	<b>Scaled Domain Score Percentage</b>	92%	88%	58%	42%	54%	8%

\*Mean guidelines scores across domains of the AGREE II instrument. Each question was rated on a Likert scale with a maximum of 7 points. The scores are averaged for each of the 2 reviewers. The scaled domain score is calculated as follows: (obtained score – minimum possible score) ÷ (maximum possible score – minimum possible score)

For use only in connection with development of AUC by the CDI Quality Institute’s Multidisciplinary Committee

07/18/2019

Ankle and/or hind foot evidence project – Evidence-based Guidelines Excluded in the Recommendation Matrix

Mean Guideline Scores and Scaled Scores across Domains of the AGREE II Instrument

AGREE II Domain	AGREE II Domain Topics	ACR 2014 – Ankle Trauma	ACR 2013 – Chronic Foot	ACR 2014 – Foot Trauma	ACR 2017 – Stress Fracture	Colorado Division of Workers’ Compensation 2016 – Lower extremity injury	Japanese Dermatological Association - 2016
<b>Total Score EXCLUDING overall assessment score</b>		85	80.5	88.5	69	81	82
<b>Scaled Total Score Excluding overall assessment score</b>		45%	42%	47%	33%	42%	43%
<b>Overall Assessment Score</b>	Rate the overall quality of the guideline (Scale of 1 to 7) <b>NOTE:</b> The overall assessment score is not included in the total score	3.5	3.5	3.5	3	3.5	3.5
<b>Scope and Purpose</b>	<b>Domain Score</b>	12.5	9.5	9	15	12.5	14
	<b>Scaled Domain Score Percentage</b>	53%	36%	33%	67%	53%	61%
<b>Stakeholder Involvement</b>	<b>Domain Score</b>	13	13	13	8	6	8.5
	<b>Scaled Domain Score Percentage</b>	56%	56%	56%	28%	17%	31%
<b>Rigor of Development</b>	<b>Domain Score</b>	30.5	29.5	36	25	28.5	28
	<b>Scaled Domain Score Percentage</b>	47%	45%	58%	35%	43%	42%
<b>Clarity and Presentation</b>	<b>Domain Score</b>	13	13	13.5	4	12	15
	<b>Scaled Domain Score Percentage</b>	56%	56%	58%	6%	50%	67%
<b>Applicability</b>	<b>Domain Score</b>	8	7.5	9	13	15.5	7
	<b>Scaled Domain Score Percentage</b>	17%	15%	21%	38%	48%	13%
<b>Editorial Independence</b>	<b>Domain Score</b>	8	8	8	4	6.5	9.5
	<b>Scaled Domain Score Percentage</b>	50%	50%	50%	17%	38%	63%

\*Mean guidelines scores across domains of the AGREE II instrument. Each question was rated on a Likert scale with a maximum of 7 points. The scores are averaged for each of the 2 reviewers. The scaled domain score is calculated as follows: (obtained score – minimum possible score) ÷ (maximum possible score – minimum possible score)