

# Provider Led Entity

## Appropriateness of Advanced Imaging in Patients with Stroke / CVA: Bibliography

04/07/2020

Albers GW, Marks MP, Kemp S, Christensen S, Tsai JP, Ortega-Gutierrez S, McTaggart RA, Torbey MT, Kim-Tenser M, Leslie-Mazwi T, Sarraj A, Kasner SE, Ansari SA, Yeatts SD, Hamilton S, Mlynash M, Heit JJ, Zaharchuk G, Kim S, Carrozzella J, Palesch YY, Demchuk AM, Bammer R, Lavori PW, Broderick JP, Lansberg MG for the DEFUSE 3 Investigators. Thrombectomy for stroke at 6 to 16 hours with selection by perfusion imaging. *N Engl J Med*. 2018; 378(8):708-718.

Alons IM, Jellema K, Wermer MJ, Algra A. D-dimer for the exclusion of cerebral venous thrombosis: A meta-analysis of low risk patients with isolated headache. *BMC Neurology*. 2015; 15:118.

Amarenco P, Lavalley PC, Labreuche J, Albers GW, Bornstein NM, Canhao P, Caplan LR, Donnan GA, Ferro JM, Hennerici MG, Molina C, Rothwell PM, Sissani L, Skoloudik D, Steg PG, Touboul PJ, Uchiyama S, Vicaut E, Wong LK, for the TIAregistry.org Investigators. One-year risk of stroke after transient ischemic attack or minor stroke. *N Engl J Med*. 2016; 374(16):1533-1542.

Andersen SD, Skjoth F, Yavarian Y, Bach FW, Lip GY, Bjerregaard Larsen T. Multiple silent lacunes are associated with recurrent ischemic stroke. *Cerebrovasc Dis*. 2016; 42(1-2):73-80.

Boulanger JM, Lindsay MP, Gubitz G, Smith EE, Stotts G, Foley N, Bhogal S, Boyle K, Braun L, Goddard T, Heran M, Kanya-Forster N, Lang E, Lavoie P, McClelland M, O'Kelly C, Pageau P, Pettersen J, Purvis H, Shamy M, Tampieri D, vanAdel B, Verbeek R, Blacquiére D, Casaubon L, Ferguson D, Hegedus Y, Jacquin GJ, Kelly M, Kamal N, Linkewich B, Lum C, Mann B, Milot G, Newcommon N, Poirier P, Simpkin W, Snieder E, Trivedi A, Whelan R, Eustace M, Smitko E, Butcher K. Canadian stroke best practice recommendations for acute stroke management: Prehospital, emergency department, and acute inpatient stroke care, 6<sup>th</sup> edition, update 2018. *Int J Stroke*; 13(9):949-984.

Boulouis G, de Boysson H, Zuber M, Guillevin L, Meary E, Costalat V, Pagnoux C, Naggara O; French Vasculitis Group. Primary angitis of the central nervous system: Magnetic resonance imaging spectrum of parenchymal, meningeal, and vascular lesions at baseline. *Stroke*. 2017; 48(5):1248-1255.

Brott TG, Halperin JL, Abbara S, Bacharach JM, Barr JD, Bush RL, Cates CU, Creager MA, Fowler SB, Friday G, Hertzberg VS, McIlff EB, Moore WS, Panagos PD, Riles TS, Rosenwasser RH, Taylor AJ; American College of Cardiology Foundation; American Stroke Association; American Association of Neurological Surgeons;

American College of Radiology; American Society of Neuroradiology; Congress of Neurological Surgeons; Society of Atherosclerosis Imaging and Prevention; Society for Cardiovascular Angiography and Interventions; Society of Interventional Radiology; Society of NeuroInterventional Surgery; Society for Vascular Medicine; Society for Vascular Surgery. 2011 ASA / ACCF / AHA / AANN / AANS / ACR / ASNR / CNS / SAIP / SCAI / SIR / SNIS / SVM / SVS guideline on the management of patients with extracranial carotid and vertebral artery disease: Executive summary. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American Stroke Association, American Association of Neuroscience Nurses, American Association of Neurological Surgeons, American College of Radiology, American Society of Neuroradiology, Congress of Neurological Surgeons, Society of Atherosclerosis Imaging and Prevention, Society for Cardiovascular Angiography and Interventions, Society of Interventional Radiology, Society of NeuroInterventional Surgery, Society for Vascular Medicine, and Society for Vascular Surgery. *Circulation*. 2011; 124(4):489-532.

Clark TG, Murphy MF, Rothwell PM. Long term risks of stroke, myocardial infarction, and vascular death in “low risk” patients with a non-recent transient ischaemic attack. *J Neurol Neurosurg Psychiatry*. 2004; 74(5):577-580.

Coutts SB, Moreau F, Asdaghi N, Boulanger JM, Camden MC, Campbell BC, Demchuk AM, Field TS, Goyal M, Krause M, Mandzia J, Menon BK, Mikulik R, Penn AM, Swartz RH, Hill MD, Diagnosis of Uncertain-Origin Benign Transient Neurological Symptoms (DOUBT) Study Group. Rate and prognosis of brain ischemia in patients with lower-risk transient or persistent minor neurologic events. *JAMA Neurol*. 2019; 76(12):1439-1445.

Einhaupl K, Stam J, Bousser MG, De Bruijn SF, Ferro JM, Martinelli I, Masuhr F; European Federation of Neurological Societies. EFNS guideline on the treatment of cerebral venous and sinus thrombosis in adult patients. *Eur J Neurol*. 2010; 17(10):1229-1235.

Georgakis MK, Duering M, Wardlaw JM, Dichgans M. WMH and long-term outcomes in ischemic stroke: A systematic review and meta-analysis. *Neurology*. 2019; 92(12):e1298-e1308.

Hemphill JC, Greenberg SM, Anderson CS, Becker K, Bendok BR, Cushman M, Fung GL, Goldstein JN, Macdonald RL, Mitchell PH, Scott PA, Selim MH, Woo D; on behalf of the American Heart Association Stroke Council, Council on Cardiovascular and Stroke Nursing, and Council on Clinical Cardiology. Guidelines for the management of spontaneous intracerebral hemorrhage. A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2015; 46(7):2032-2060.

Irimia P, Asenbaum S, Brainin M, Chabriat H, Martinez-Vila E, Niederkorn K, Schellinger PD, Seitz RJ, Masdeu JC. Use of imaging in cerebrovascular disease. *European Handbook of Neurological Management, Volume 1*. Eds. NE Gilhus, MP Barnes, M Brainin. West Sussex, UK: Blackwell Publishing Ltd. 2011. Pg: 35-51.

Kang DW, Han MK, Kim HJ, Sohn H, Kim BJ, Kwon SU, Kim JS, Warach S. Silent new ischemic lesions after index stroke and the risk of future clinical recurrent stroke. *Neurology*. 2016; 86(3):277-285.

Kauw F, Takx RA, de Jong HW, Velthuis BK, Kappelle LJ, Dankbaar JW. Clinical and imaging predictors of recurrent ischemic stroke: A systematic review and meta-analysis. *Cerebrovasc Dis*. 2018; 45(5-6):279-287.

LeFevre ML: U.S. Preventive Services Task Force. Screening for asymptomatic carotid artery stenosis: U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med*. 2014; 161(5):356-362.

Lo BM, Carpenter CR, Hatten BW, Wright BJ, Brown MD; from the American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Suspected Transient Ischemic Attack. Clinical Policy: Critical issues in the evaluation of adult patients with suspected transient ischemic attack in the emergency department. *Ann Emerg Med.* 2016; 68(3):354-370.

Mokin M, Levy EI, Saver JL, Siddiqui AH, Goyal M, Bonafe A, Cognard C, Jahan R, Albers GW; SWIFT PRIME Investigators. Predictive value of RAPID assessed perfusion thresholds on final infarct volume in SWIFT PRIME (Solitaire with the Intention for Thrombectomy as Primary Endovascular Treatment). *Stroke.* 2017; 48(4):932-938.

Nadarajan V, Perry RJ, Johnson J, Werring DJ. Transient ischemic attacks: Mimics and chameleons. *Pract Neurol.* 2014; 14(1):23-31.

National Institute for Health and Clinical Excellence (NICE). Stroke and transient ischaemic attack in over 16s: Diagnosis and initial management. National Collaborating Center for Chronic Conditions (UK). London: Royal College of Physicians (UK): 2019.

Naylor AR, Ricco JB, de Borst GJ, Debus S, de Haro J, Halliday A, Hamilton G, Kakisis J, Kakkos S, Lepidi S, Markus HS, McCabe DJ, Roy J, Sillesen H, van den Berg JC, Vermassen F, ESVS Guidelines Committee, Kohl P, Chakfe N, Hincliffe RJ, Koncar I, Lindholt JS, Vega de Ceniga M, Verzini F, ESVS Guideline Reviewers, Archie J, Bellmunt S, Chaudhuri A, Koelemay M, Lindahl AK, Padberg F, Venermo M. Editor's Choice – Management of atherosclerotic carotid and vertebral artery disease: 2017 clinical practice guidelines of the European Society for Vascular Surgery (ESVS). *Eur J Vasc Endovasc Surg.* 2018; 55(1):3-81.

Nogueira RG, Jadhav AP, Haussen DC, Bonafe A, Budzik RF, Bhuva P, Yavagal DR, Ribo M, Cognard C, Hanel RA, Sila CA, Hassan AE, et al for the DAWN Trial Investigators. Thrombectomy 6 to 24 hours after stroke with a mismatch between deficit and infarct. *N Engl J Med.* 2018; 378(1):11-21.

Ottaviani M, Vanni S, Moroni F, Peiman N, Boddi M, Grifoni S. Urgent carotid duplex and head computed tomography versus ABCD2 score for risk stratification of patients with transient ischemic attack. *Eur J Emerg Med.* 2016; 23(1):19-23.

Powers WJ, Rabinstein AA, Ackerson T, Adeoye OM, Bambakidis NC, Becker K, Biller J, Brown M, Demaerschalk BM, Hoh B, Jauch EC, Kidwell CS, Leslie-Mazwi TM, Ovbiagele B, Scott PA, Sheth KN, Southerland AM, Summers DV, Tirschwell DL. Guidelines for the early management of patients with acute ischemic stroke: 2019 update to the 2018 guidelines for the early management of acute ischemic stroke: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke.* 2019; 50(12):e344-e418.

Provost C, Soudant M, Legrand L, Hassen WB, Xie Y, Soize S, Bourcier R, Benzakoun J, Edjlali M, Boulouis G, Raoult H, Guillemain F, Naggara O, Bracard S, Oppenheim C. Magnetic resonance imaging or computed tomography before treatment in acute ischemic stroke. *Stroke.* 2019; 50(3):659-664.

Ryu WH, Avery MB, Dharampal N, Allen IE, Hetts SW. Utility of perfusion imaging in acute stroke treatment: A systematic review and meta-analysis. *J Neurointerv Surg.* 2017; 9(10):1012-1016.

Salmela MB, Mortazavi S, Jagadeesan BD, Broderick DF, Burns J, Deshmukh TK, Harvey HB, Hoang J, Hunt CH, Kennedy TA, Khalessi AA, Mack W, Patel ND, Perlmutter JS, Policeni B, Schroeder JW, Setzen G, Whitehead MT, Cornelius RS, Corey AS. ACR Appropriateness Criteria® Cerebrovascular Disease. American College of

Radiology; 2016. Available from <https://acsearch.acr.org/docs/69478/Narrative/>.

Saposnik G, Barinagarrementeria F, Brown RD Jr, Bushnell CD, Cucchiara B, Cushman M, deVeber G, Ferro JM, Tsai FY; American Heart Association Stroke Council and the Council on Epidemiology and Prevention. Diagnosis and management of cerebral venous thrombosis: A statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2011; 42(4):1158-1192.

Scottish Intercollegiate Guidelines Network (SIGN). Management of patients with stroke or TIA: Assessment, investigation, immediate management and secondary prevention. A national clinical guideline (no. 108). Edinburgh, Scotland. December, 2008.

Smith EE, Saposnik G, Biessels GJ, Doubal FN, Fornage M, Gorelick PB, Greenberg SM, Higashida RT, Kasner SE, Seshadri S; American Heart Association Stroke Council; Council on Cardiovascular Radiology and Intervention; Council on Functional Genomics and Translational Biology; and Council on Hypertension. Prevention of stroke in patients with silent cerebrovascular disease: A scientific statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2017; 48(2):e44-e71.

Streifler JY, den Hartog AG, Pan S, Pan H, Bulbulia R, Thomas DJ, Brown MM, Halliday A; ACST-1 trial collaborators. Ten-year risk of stroke in patients with previous cerebral infarction and the impact of carotid surgery in the Asymptomatic Carotid Surgery Trial. *Int J Stroke*. 2016; 11(9):1020-1027.

Thomalla G, Simonsen CZ, Boutitie F, Andersen G, Berthezene Y, Cheng B, Cheripelli B, Cho TH, Fazekas F, Fiehler J, Ford I, Galinovic I, Gellissen S, Golsari A, Gregori J, Gunther M, Guibernau J, Hausler KG, Hennerici M, Kemmling A, Marstrand J, Modrau B, Neeb L, Perez de la Ossa N, Puig J, Ringleb P, Roy P, Scheel E, Schonewille W, Serena J, Sunaert S, Villringer K, Wouters A, Thijs V, Ebinger M, Endres M, Fiebich JB, Lemmens R, Muir KW, Nighoghossian N, Pedraza S, Gerloff C, WAKE-UP Investigators. MRI-guided thrombolysis for stroke with unknown time of onset. *N Engl J Med*. 2018; 379(7):611-622.

van Wijk I, Kappelle LJ, van Gijn J, Koudstaal PJ, Franke CL, Vermeulen M, Gorter JW, Algra A; LiLAC study group. Long-term survival and vascular event risk after transient ischaemic attack or minor ischaemic stroke: A cohort study. *Lancet*. 2005; 365(9477):2098-2104.

Wahlgren N, Moreira T, Michel P, Steiner T, Jansen O, Cognard C, Mattle HP, van Zwam W, Holmin S, Tatlisumak T, Petersson J, Caso V, Hacke W, Mazighi M, Arnold M, Fischer U, Szikora I, Pierto L, Fiehler J, Gralla J, Fazekas F, Lees KR; ESO-KSU, ESO, ESMINT, ESNR and EAN. Mechanical thrombectomy in acute ischemic stroke: Consensus statement by ESO-Karolinska Stroke Update 2014/2015, supported by ESO, ESMINT, ESNR and EAN. *Int J Stroke*. 2016; 11(1):134-147.

Wippold FJ, Cornelius RS, Aiken AH, Amin-Hanjani S, Berger KL, Broderick DF, Davis PC, Douglas AC, Hoh BL, Mechtler LL, Smirniotopoulos JG. ACR Appropriateness Criteria® Focal Neurologic Deficit. *American College of Radiology*; 2012. <https://acsearch.acr.org/docs/69480/Narrative/>.

Xu W, Gao L, Li T, Ramdoyal ND, Zhang J, Shao A. The performance of CT versus MRI in the differential diagnosis of cerebral venous thrombosis. *Thromb Haemost*. 2018; 118(6):1067-1077.