



Provider Led Entity

Appropriateness of Advanced Imaging in Patients with Multiple Sclerosis Bibliography

12/01/2020

Agarwal V, Shah LM, Parsons MS, Boulter DJ, Cassidy RC, Hutchins TA, Johnson JO, Kendi AT, Khan MA, Liebeskind DS, Moritani T, Ortiz AO, Reitman C, Shah VN, Snyder LA, Timpone VM, Corey AS. ACR Appropriateness Criteria® Myelopathy. American College of Radiology; 2020. Available from <https://acsearch.acr.org/docs/69484/Narrative/>

Barisano G, Bigjahan B, Metting S, Cen S, Amezcu L, Lerner A, Toga AW, Law M. Signal hyperintensity on unenhanced T1-weighted brain and cervical spinal cord MR images after multiple doses of linear gadolinium-based contrast agent. AJNR Am J Neuroradiol. 2019; 40(8):1274-1281.

Brownlee WJ, Altmann DR, Alves Da Mota P, Swanton JK, Miszkiel KA, Wheeler-Kingshott CG, Ciccarelli O, Miller DH. Association of asymptomatic spinal cord lesions and atrophy with disability 5 years after a clinically isolated syndrome. Mult Scler. 2017; 23(5):665-674.

Brownlee WJ, Altmann DR, Prados F, Miszkiel KA, Eshaghi A, Gandini Wheeler-Kingshott CA, Karkhof F, Ciccarelli O. Early imaging predictors of long-term outcomes in relapse-onset multiple sclerosis. Brain. 2019; 142(8):2276-2287.

Chung KK, Altmann D, Barkhof F, Miszkiel K, Brex PA, O'Riordan J, Ebner M, Prados F, Cardoso MJ, Vercauteren T, Ourselin S, Thompson A, Ciccarelli O, Chard DT. A 30-year clinical and magnetic resonance imaging observational study of multiple sclerosis and clinically isolated syndromes. Ann Neurol. 2020; 87(1):63-74.

Cristiano E, Alonso R, Pinheiro AA, Bacile EA, Balbuena ME, Ballario C, Barboza AG, Bestoso S, Burgos M, Caceres F, Contentti EC, Carra A, Crespo E, Curbelo MC, Deri N, Fernandez J, Liguori NF, Fiol M, Gaitan MI, Garcea O, Giunta D, Halfon MJ, Hryb JP, Jacobo M, Kohler E, Linares R, Luetic GG, Martinez AD, Miguez J, Nofal PG, Patrucco L, Piedrabuena R, Rojas JL, Escalante RR, Saladino ML, Silva BA, Sinay V, Steinberg JD, Tarulla A, Vetere SA, Villa A, Vrech C, Ysraelit MC, Correale J. Argentinean recommendations on the identification of treatment failure in relapsing remitting multiple sclerosis patients. J Neurol Sci. 2018; 385:217-224.

Eden D, Gros C, Badji A, Dupont SM, De Leener B, Maranzano J, Zhuoquiong R, Liu Y, Granberg T, Ouelette R, Stawiarz L, Hillert J, Talbott J, Bannier E, Kerbrat A, Edan G, Labauge P, Callot V, Pelletier J, Audoin B, Rasoanadrianina H, Brisset JC, Valsasina P, Rocca MA, Filippi M, Bakshi R, Tauhid S, Prados F, Yiannakas M, Kearney H, Ciccarelli O, Smith SA, Treaba CA, Mainero C, Lefevre J, Reich DS, Nair G, Shepherd TM, Charlson E, Tachibana Y, Hori M, Kamiya K, Chougar L, Narayanan S, Cohen-Adad J. Spatial distribution of multiple sclerosis lesions in the cervical spinal cord. *Brain*. 2019; 142(3):633-646.

Eichinger P, Schon S, Pongratz V, Wiestler H, Zhang H, Bussas M, Hoshi MM, Jirschke J, Berthele A, Zimmer C, Hemmer B, Muhlau M, Wiestler B. Accuracy of unenhanced MRI in the detection of new brain lesions in multiple sclerosis. *Radiology*. 2019; 291(2):429-435.

Filippi M, Rocca MA, Arnold DL, Bakshi R, Barkhof F, De Stefano N, Fazekas F, Frohman E, Miller DH, Wolinsky JS. Use of imaging in multiple sclerosis. *European Handbook of Neurological Management, Volume 1, Second Edition*. Eds. NE Gilhus, MP Barnes, M Brainin. West Sussex, UK: Blackwell Publishing Ltd. 2011. Pg: 35-51.

Filippi M, Rocca MA, Ciccarelli O, De Stefano N, Evangelou N, Kappos L, Rovira A, Sastre-Garriga J, Tintore M, Frederiksen JL, Gasperini C, Palace J, Reich DS, Banwell B, Montalban X, Barkhof F on behalf of the MAGNIMS Study Group. MRI criteria for the diagnosis of multiple sclerosis: MAGNIMS consensus guidelines. *Lancet Neurol*. 2015; 15(3):292-303.

Granella F, Tsantes E, Grajusso S, Bazzurri V, Crisi G, Curti E. Spinal cord lesions are frequently asymptomatic in relapsing-remitting multiple sclerosis: A retrospective MRI survey. *J Neurol*. 2019; 266(12):3031-3037.

Hua LH, Donlon SL, Sobhanian MJ, Portner SM, Okuda DT. Thoracic spinal cord lesions are influenced by the degree of cervical spine involvement in multiple sclerosis. *Spinal Cord*. 2015; 53(7):520-525.

Juliano AF, Polliceni B, Agarwal V, Burns J, Bykowski J, Harvey HB, Hoang JK, Hunt CH, Kennedy TA, Moonis G, Pannell JS, Parsons MS, Powers WJ, Rosenow JM, Schroeder JW, Slavin K, Whitehead MT, Corey AS. ACR Appropriateness Criteria® Ataxia. *J Am Coll Radiol*. 2019; 16(5S):S44-S56.

Kennedy TA, Corey AS, Polliceni B, Agarwal V, Burns J, Harvey HB, Hoang J, Hunt CH, Juliano AF, Mack W, Moonis G, Murad GJ, Pannell JS, Parsons MS, Powers WJ, Schroeder JW, Setzen G, Whitehead MT, Bykowski J. ACR Appropriateness Criteria® Orbitis Vision and Visual Loss. *J Am Coll Radiol*. 2018; 15(5S):S116-S131.

Kim SH, Hyun JW, Joung A, Lee SH, Kim HJ. Occurrence of asymptomatic acute neuromyelitis optica spectrum disorder-typical brain lesions during an attack of optic neuritis or myelitis. *PLoS One*. 2016; 11(12):e0167783.

Kuhle J, Disanto G, Dobson R, Adiutori R, Bianchi L, Topping J, Bestwick JP, Meier UC, Marta M, Dalla Costa G, Runia T, Evdoshenko E, Lazareva N, Thouvenot E, Iaffaldano P, Direnzo V, Khademi M, Piehl F, Comabella M, Sombekke M, Killestein J, Hegen H, Rauch S, D'Alfonso S, Alvarez-Cermeno JC, Kleinveld P, Horakova D, Roesler R, Lauda F, Llufriu S, Avsar T, Uygunoglu U, Altintas A, Saip S, Menge T, Rajda C, Bergamaschi R, Moll N, Khalil M, Marignier R, Dujmovic I, Larsson H, Malmstrom C, Scarpini E, Fenoglio C, Wergeland S, Laroni A, Annibali V, Romano S, Martinez AD, Carra A, Salvetti M, Uccelli A, Torkildsen O, Myhr KM, Galimberti D, Reidak K, Lycke J, Frederiksen JL, Drulovic J, Confavreux C, Brassat D, Enzinger C, Fuchs S, Bosca I, Pelletier J, Picard C, Colombo E, Franciotta D, Derfuss T, Lindberg R, Yaldizli O, Vecsei L, Kieseier BC, Hartung HP, Viloslada P, Siva A, Saiz A, Tumani H, Havrdova E, Villar LM, Leone M, Barizzone N, Deisenhammer F, Teunissen C, Montalban X, Tintore M, Olsson T, Trojano M, Lehmann S, Castelnovo G, Lapin S, Hintzen R, Kappos L, Furlan R, Martinelli V, Comi G, Ramagopalan SV, Giovannoni G. Conversion from clinically isolated syndrome to multiple sclerosis: A large multicenter study. *Mult Scler*. 2015; 21(8):1013-1024.

Montalban X, Gold R, Thompson AJ, Otero-Romero S, Amato MP, Chandraratna D, Clanet M, Comi G, Derfuss T, Fazekas F, Hartung HP, Havrdova E, Hemmer B, Kappos L, Liblau R, Lubetzki C, Marcus E, Miller DH, Olsson T, Pilling S, Selmaj K, Siva A, Sorensen PS, Sormani MP, Thalheim C, Wiendl H, Zipp F. ECTRIMS/EAN guideline on the pharmacological treatment of people with multiple sclerosis. *Eur J Neurol.* 2018; 25(2):215-237.

National Institute for Health and Clinical Excellence (NICE). Multiple sclerosis in adults: Management. National Clinical Guideline Center (UK). London: National Institute for Health and Care Excellence (UK): Updated 2019.

Narayana PA, Coronado I, Sujit SJ, Wolinsky JS, Lublin FD, Gabr RE. Deep learning for predicting enhancing lesions in multiple sclerosis from noncontrast MRI. *Radiology.* 2020; 294(2):398-404.

Nazerian P, Vanni S, Tarocchi C, Portaccio E, Vannucci N, Para O, Giannazzo G, Gigli C, Grifoni S. Causes of diplopia in the emergency department: Diagnostic accuracy of clinical assessment and of head computed tomography. *Eur J Emerg Med.* 2014; 21(2):118-124.

Rae-Grant A, Day GS, Marrie RA, Rabenstein A, Cree BA, Gronseth GS, Haboubi M, Halper J, Hosey JP, Jones DE, Lisak R, Pelletier D, Potrebic S, Sitcov C, Sommers R, Stachowiak J, Getchius TS, Merillat SA, Pringsheim T. Practice guideline recommendations summary: Disease-modifying therapies for adults with multiple sclerosis: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. *Neurology.* 2018; 90(17):777-788.

Rahn AC, Kopke S, Stellmann JP, Schiffmann I, Lukas C, Chard D, Heesen C. Magnetic resonance imaging as a prognostic disability marker in clinically isolated syndrome: A systematic review. *Acta Neurol Scand.* 2019; 139(1):18-32.

Rovira A, Wattjes MP, Tintore M, Tur C, Yousry TA, Sormani MP, De Stefano N, Filippi M, Auger C, Rocca MA, Barkhof F, Fazekas F, Kappos L, Polman C, Miller D, Montalban X; MAGNIMS study group. Evidence-based guidelines: MAGNIMS consensus guidelines on the use of MRI in multiple sclerosis-clinical implementation in the diagnostic process. *Nat Rev Neurol.* 2015; 11(8):471-482.

Rudie JD, Mattay RR, Schindler M, Steingall S, Cook TS, Loevner LA, Schnall MD, Mamourian AC, Bilello M. An initiative to reduce unnecessary gadolinium-based contrast in multiple sclerosis patients. *J Am Coll Radiol.* 2019; 16(9 Pt A):1158-1164.

Sadigh G, Saïdane AM, Waldman AD, Lava NS, Hu R. Comparison of unenhanced and gadolinium-enhanced imaging in multiple sclerosis: Is contrast needed for routine follow-up MRI? *AJNR Am J Neuroradiol.* 2019; 40(9):1476-1480.

Sastre-Garriga J, Pareto D, Battaglini M, Rocca MA, Ciccarelli O, Enzinger C, Wuerfel J, Sormani MP, Barkhof F, Yousry TA, De Stefano N, Tintore M, Filippi M, Gasperini C, Kappos L, Rio J, Frederiksen J, Palace J, Vrenken H, Montalban X, Rovira A, and on behalf of the MAGNIMS study group. MAGNIMS consensus recommendations on the use of brain and spinal cord atrophy measures in clinical practice. *Nat Rev Neurol.* 2020; 16(3):171-182.

Sellner J, Boggild M, Clanet M, Hintzen RQ, Illes Z, Montalban X, Du Pasquier RA, Polman CH, Sorensen PS, Hemmer B. EFNS guidelines on diagnosis and management of neuromyelitis optica. *Eur J Neurol.* 2010; 17(8):1019-1032.

Solomon AJ, Bourdette DN, Cross AH, Applebee A, Skidd PM, Howard DB, Spain RI, Cameron MH, Kim E, Mass MK, Yaday V, Whitham RH, Longbrake EE, Naismith RT, Wu GF, Parks BJ, Wingerchuk DM, Rabin BL, Toledano M, Tobin WO, Kantarci OH, Carter JL, Mark Keegan B, Weinshenker BG. The contemporary spectrum of multiple sclerosis misdiagnosis: A multicenter study. *Neurology*. 2016; 87(13):1393-1399.

Thompson AJ, Banwell BL, Barkhof F, Carroll WM, Coetzee T, Comi G, Correale J, Fazekas F, Filippi M, Freedman MS, Fujihara K, Galetta SL, Hartung HP, Kappos L, Lublin FD, Marrie RA, Miller AE, Miller DH, Montalban X, Mowry EM, Sorensen PS, Tintore M, Traboulsee AL, Trojano M, Uitdehaag BM, Vukusic S, Waubant E, Weinshenker BG, Reingold SC, Cohen JA. Diagnosis of multiple sclerosis: 2017 revisions of the McDonald criteria. *Lancet Neurol*. 2018; 17(2):162-173.

Tintore M, Otero-Romero S, Rio J, Arrambide G, Pujal B, Tur C, Galan I, Comabella M, Nos C, Arevalo MJ, Vida-Jordana A, Castillo J, Rodriguez-Acevedo B, Midaglia L, Mitjana R, Auger C, Sastre-Garriga J, Rovira A, Montalban X. Contribution of the symptomatic lesion in establishing MS diagnosis and prognosis. *Neurology*. 2016; 87(13):1368-1374.

Traboulsee A, Barlow L, Chan J, Cohen B, Costello K, Halper J, Harris C, Jones D, Kanal E, Li D, Maravilla K, Nelson F, Newsome S, Oh J, Pelletier D, Rammohan K, Reich D, Rovira A, Stone L, Terashima K, Wolinsky J. Consortium of MS centers MRI protocol and clinical guidelines for the diagnosis and follow-up of MS: 2018 revised guidelines. February 2018. Available from: https://www.ms-care.org/page/MRI_protocol

Treaba CA, Balasa R, Podeanu DM, Simu IP, Buruian MM. Cerebral lesions of multiple sclerosis: Is gadolinium always irreplaceable in assessing lesion activity? *Diagn Interv Radiol*. 2014; 20(2):178-184.

Uher T, Vaneckova M, Sobisek L, Tyblova M, Seidl Z, Krasensky J, Ramasamy D, Zivadinov R, Havrdova E, Kalincik T, Horakova D. Combining clinical and magnetic resonance imaging markers enhances prediction of 12-year disability in multiple sclerosis. *Mult Scler*. 2017; 23(1):51-61.

Wattjes MP, Rovira A, Miller D, Yousry TA, Sormani MP, de Stefano MP, Tintore M, Auger C, Tur C, Filippi M, Rocca MA, Fazekas F, Kappos L, Polman C, Barkhof F, Montalban X; MAGNIMS study group. Evidence-based guidelines: MAGNIMS consensus guidelines on the use of MRI in multiple sclerosis—establishing disease prognosis and monitoring patients. *Nat Rev Neurol*. 2015; 11(10):597-606.

Wingerchuk DM, Banwell B, Bennett JL, Cabre P, Carroll W, Chitnis T, de Seze J, Fujihara K, Greenberg B, Jacob A, Jarius S, Lana-Peixoto M, Levy M, Simon JH, Tenembaum S, Traboulsee AL, Waters P, Wellik KE, Weinshenker BG. International consensus diagnostic criteria for neuromyelitis optica spectrum disorders. *Neurology*. 2015; 85(2):177-189.

Zecca C, Disanto G, Sormani MP, Riccitelli GC, Cianfoni A, Del Grande F, Pravata E, Gobbi C. Relevance of asymptomatic spinal MRI lesions in patients with multiple sclerosis. *Mult Scler*. 2016; 22(6):782-791.